AD-A215 862

REPORT DOCUMENTATION PAGE

Form Approved OME No. 0704-0188

AGENCY USE ONLY (Leave blank)	2. REPORT DATE 30 April 1982	Tren Services. Directorate for the Property of	DATES COVERED
TITLE AND SUSTITLE GORDON RESEARCH CONFERE			5. FUNDING NUMBERS
			61102F 2303-A3
AUTHOR(S) P.C. Schultz			
PERFORMING ORGANIZATION NAME(University of Rhode Isl Gordon Research confere	and		8. PERFORMING ORGANIZATION REPORT NUMBER
Kingston, RI 02881		APOUR - TR -	89-1592
SPONSORING/MONITORING AGENCY AFOSR	NAME(S) AND ADDRESS(ES)		10. SPONSORING/MONITORING AGENCY REPORT NUMBER
BLDG 410 BAFB DC 20332-6448			AFOSR-81-0228
SUPPLEMENTARY NOTES			
	•		
DISTRIBUTION/AVAILABILITY STAT	EMENT		12b. DISTRIBUTION CODE
Approved for p	Whic rolease;		



ı				
Ì	14. SUBJECT TERMS			15. NUMBER OF PAGES
į				6
l				16. PRICE CODE
Į				
l	17 SECURITY CLASSIFICATION	18. SECURITY CLASSIFICATION	19. SECURITY CLASSIFICATION	20. LIMITATION OF ABSTRACT
Ì	OF REPORT	OF THIS PAGE	OF ABSTRACT	1
ł	unclassified	unclassified		

NSN 7540-01-280-5500

Standard Form 298 (890104 Draft)

89 12 05

APOSR . TH. #9-1592

FINAL REPORT

AFOSR-81-0228

UNIVERSITY OF RHODE ISLAND

P. C. Schultz

1981 GORDON CONFERENCE ON GLASS

30 April 1982



To:

Dr. D. Ulrich V

cc:

Dr. C. Cruickshank Prof. C. Moynihan

From:

P. C. Schultz

Subject:

AFOSR Final Report, 1981 Gordon Conference on Glass

(AFOSR Grant # 81-0228)

Date:

April 30, 1982

The subject conference was held August 3-7, 1981 at Plymouth State College, Plymouth, New Hampshire and is briefly summarized in this report. Twenty-two invited speakers presented their recent and unpublished research results on fluoride glasses, movel glasses (including gels) and strength behavior to ∿110 conferees (a record number for the glass conference). Considerable constructive discussion ensued between speakers and conferees—all felt—he meeting was a great technical success. In addition, informal poster sessions were held allowing any conferee to present up—to—date results on any glass science subject. Attached are the complete program for both invited and poster papers. Some highlights of the invited papers are summarized below:

Fluoride Glasses

Poulain (Univ. Rennes) reviewed the field and presented new glass systems found (eg. Zr-free glasses based on Th, Al, Y, Ba and Sc, Y, Ba) which show excellent durability and IR transmission. He proposed a general glass-forming rule based on ionic field strength, F, where fluoride glasses form if $2.5 < \frac{\Sigma}{F_{anions}} < 10.$

Drexhage (RADC, Hanscom AFB) showed IR properties of Hf and Zr fluoride glasses are unaffected by melt atmosphere (inert or reactive) provided they are formed under controlled conditions; critical factor is use of pure, dry fluoride batch materials. Material dispersion data were given indicating 1 GHz \cdot km bandwidth should be achievable at minimum loss λ despite zero dispersion occurring at much shorter λ .

and the second of the second o

Manabe (NTT-Ibaraki) covered critical physical properties for Zr-Ba-Gd fluoride glasses for IR fibers (n_D, β , d²n/d λ ², Rayleigh scattering, Tg) and described preparation of all-glass optical waveguides \sim 4 meters long with 82 dB/km at 2.6um (a record low loss at the time). He calculated as little as 10 ppb OH impurity would contribute 100 dB/km at 3um.

AFOSR Final Report, 1981 Gordon Conference on Glass (AFOSR Grant # 81-0228)
Page 2
April 30, 1982

Novel Glasses

Nassau (BTL) presented data on rapidly quenched glasses of traditional crystalline compounds such as BaTiO₃. In general, crystal properties are better than glass analogs. He and Kriedl predicted rapidly quenched nonoxide glasses may have much higher conductivities than oxide glasses, since electrical properties of latter are limited by "oxygen cage".

Hench (Univ. Fla.) showed that a novel ${\rm CO_2}$ reaction with 30 mole% sodium silicate gels during the gelling/drying steps apparently leads to clkali carbonate formation. The latter greatly aids sintering characteristics, leading to clear glasses between $450\text{--}550^{\circ}\text{C}$, by keeping pores open longer during heat treatment thereby facilitating outgassing. Interestingly, gelderived glasses weather faster than melted glasses.

Sakka (Univ. Mie) provided gel processing/property details for films, coatings, fibers prepared in SiO_2 , TiO_2-SiO_2 , ZrO_2-SiO_2 glass systems. Most properties similar to melted versions, but strength is considerably lower ($\sim 50\%$).

Strength

Freiman (NBS) reviewed crack growth theory and showed that any "water-like" molecules (eg, hydrazine, formamide) behave similar to hydroxyls in greatly accelerating crack tip growth velocity.

Mecholsky (Sandia) showed that fracture toughness can be greatly improved by presence of spherical-like inclusions in the glassy matrix which tend to split stresses at propagating crack tips to values below critical levels. Stress intensity factor $K_{\rm IC}$ was shown to increase linearly with vol % ${\rm Al}_2{\rm O}_3$ particles in glass and can be peaked with appropriate surface area/vol. values for prosesses separated glasses.

France (British Telecom) discussed fatigue behavior of sodium porosilicate glass fiber optical waveguides. Both strength and fatigue properties are approximately equal to fused silica values (presented by Helfenstine, Corning) for long gauge length fibers (> 50 meters) when ${\rm ZrO}_2$ and ${\rm Al}_2{\rm O}_3$ additions are made to the cladding region.

/db

Attachment



Acces	sion	For		
NTIS	GRA&	I	TO.	
DTIC	TAB		ñ	
Unanz	ounce	đ	ñ	
Justi	float	ion.		
Ву				
Distr	ibuti	on/		
Availability Codes				
	Avail	an	d/or	
Dist	Spa	cia.	1	
1		1		
D-1		1		
1,		ł	ź,	
-				

GORDON RESEARCH CONFERENCES

GLASS

August 3 - 7, 1981

Plymouth State College - North Plymouth, New Hampshire

PeterkC. Schultz, Chairman Cornelius Moynihan, Cochairman

Monday, August 3

MORNING SESSION - FLUORIDE GLASSES

M. Robinson, Chairman Hughes Research Labs. California

/ Schulby notes attended

Fluoride and Polynalide Glasses

Marcel Poulain Univ. Rennes, France

Optical Properties of Multicomponent Fluoride Glasses

Martin Dreshage Rome Air. Dev. Ctr., USA

Fabrication Technique and Transmission Characteristics of the

Toyotaka Manabe NTT Ibaraki Lab, Japan

Fluoride Glass Fiber

EVENING SESSION - OSYNITRIDE GLASSES

T. Maceolo, Chairman

Oxynitride Glasses

Ronald E. Loehman SRI International, USA

Effect of Nitrogen on Physical Properties of MgO-Al₂O₃-SiO₂ Glasses

Raja Wusirika Corning Glass Works, USA

Tuesday, August 4

MORNING SESSION - NOVEL GLASSES

G. Frischat, Chair Lehstuhl Glasund Keramik Zehntnerstabe, W. Germany

Rapid Quench Glasses

Kurt Nassau BTL Murray Hill, USA

Techniques for Incorporation of Water into Silicate Glasses

Riger Bartholomew Corning Glass Works, USA

GLASSES FROM GELS

L. Klein, Chairman Rutgers Ceramics Dept. Piscataway, NJ

Glasses from Chemical Polymerization

Bulent Yoldas Westinghouse Electric Co., USA

EVENING SESSION

Potential Applications of Sol-Gel Processes

Ramon Puyane Battelle Geneva, Switzerland Compositional Processing Effects on the Gel-to-Glass Conversion

C. Jeffrey Brinker Sandia Laboratories, USA

Wednesday, August 5

MORNING SESSION

S.P. Mukherjee, Chairman Battelle Memorial Inst., Ohio

Surface Behavior of Gel Glasses

Larry Hench University of Florida

Mechanism of Formation of Glass Fibers and Films through Sol-Gel Conversion of Alkexides

Sumio Sakka Mie University, Japan

Composition, Quality and Purity of Densified Silicate Gel Glasses

Robert Shoup Corning Glass Works, USA

EVENING SESSION - STRENGTH OF GLASS

Crack Propagation and Stress Corrosion of Glass

Steven Freiman National Bureau of Standards, USA

Role of Surface Energy in Mechanical Strength of Class

Minoru Tomozawa Rensselaer Polytechnic Inst., USA

Thursday, August 6

MORNING SESSION

Notoworthy Findings Environmental Effects on Stress Carrosion

Fracture Toughness of Glasses and Glass-Ceramics

Dissolution Kinetics of Glass in Geologic Media

Banquet Lecture: Global Tectonics, Volcanoes and the Depths of the Earth, Natural Glass Production and the Plagues of Egypt

P. Gupta Owens Corning Fiberglass, Ohio

Herbert Richter Festkorpermechanik Inst., W. Germany

Jack Mecholsky Sandia Laboratories, USA

Hans Claasen U.S. Geological Survey, USA

Julian Goldsmith University of Chicago, USA

EVENING SESSION - Open Poster Session

Friday, August 7

Fatique Behavior of Glass Fibers Used for Optical Communications (Includes Compound Glasses)

Paul France British Telecom Res. Labs, England

Fatique Behavior of Doped Fused Silica John Helfenstine Optical Waveguides

Corning Glass Works, USA

GORDON RESEARCH CONFERENCES

GLASS

POSTER SESSION Thursday, August 6, 1981

Author	Poster Paper Title	Room No.
G.H. Frischat and C. Schrimpt	Preparation and Properties of N ₂ -Containing Na ₂ O-CaO-SiO ₂ Glasses	205
P. R. Garnier	Foaming of Some Nitrogen Glasses by Exposure to Water Vapour	508
D. Gavin, R. Syed and C. Moynihan	Functional Form of Arrhenius Equation for Electrical Conductivity	519
Robert Hopper	Stochastic Theory of Scattering from Spinodal Structures	510
Lisa Klein and G.J. Garvey (D.Gallagher, T.Gallo, G. Mucci, J. Reed)	Fundamental Properties of the Sol-Gel Transition	
Richard Lehman and Victor Greenhut	Surface Crystal Formation During Acid Corrosion of P ₂ O ₅ Doped Lead Silicate Glasses	206 409
Akio Makishima	Preparation and Characterization of Oxynitride Glass With High Nitrogen Content	421
Shyma P. Mukherjee & W. Howard Lowdermilk	Single Layer Antireflection Films Deposited by the Sol-Gel Process	
K. Nassau	The Material Dispersion Zero in Infrared Optical Waveguide Materials	204
G. F. Netlson	Phase Separation of Sodium Silicate Glasses Prepared from Gel Precursors	219
Marcel Poulain	A Basic Topologic Equation: Application to Glasses	501
E.M. Rabinovich, J.W. Johnson, Jr., J.B. MacChesney and E.M. Yogel	Preparation of Transparent High-Silica Glass Articles by Sol-Gel Process with Sintering	217
W. Vocel W. Holand	Nucleation and Crystallization Kinetics of an MgO-Al ₂ O ₃ -SiO ₂ Base Glass with Different Dopants	306
David Ziegler and C.A. Angell	BiCl ₃ -KCl Glasses	